REPORT - HIPAA 271 to ESA Refugee mapped fields only

Loop	SegID	HIPAA Name	DT	Req	File	Field	DT	Comment	CommentType
		Eligibility, Coverage or Benefit Information							
	ST	Transaction Set Header		R					
	ST 01	Transaction Set Identifier Code	ID3	R				Hard code "271"	Translation
	ST 02	Transaction Set Control Number	······································				Translation		
	BHT	Beginning of Hierarchical Transaction		R					
	BHT01	Hierarchical Structure Code	ID4	R				Hard code "0022"	Translation
	BHT02	Transaction Set Purpose Code	ID2	R				Hard code "11"-response	Translation
	BHT03	Submitter Transaction Identifier	AN30	S				Get from 270 BHT03	Match Back
	BHT04	Transaction Set Creation Date	DT8	R				Generate current date	Translation
	BHT05	Transaction Set Creation Time	TM8	R	R Generate current ti		Generate current time	Translation	
2000A	HL	Information Source Level Information Source Level		R					
2000A	HL			R					
2000A	HL 01	Hierarchical ID Number	AN12	R				sequence number: start 1 by 1 for each HL segment in ST-SE	Translation
2000A	HL 03	Hierarchical Level Code	ID2	R				Hard code "20"-info source	Translation
2000A	HL 04	Hierarchical Child Code	ID1	R				Hard code "1"	Translation

Loop	SegID	HIPAA Name	DT	Req	File	Field	DT	Comment	CommentType
2000A	AAA	Request Validation		S				Information Source must return complex error response codes.	Processing Logic
2100A	NM1	Information Source Name		R					
2100A	NM1	Information Source Name		R					
2100A	NM101	Entity Identifier Code	ID3	R				Hard code "PR"-Payer	Translation
2100A	NM103	Information Source Last or Organization Name	AN35	S				Hard code "Washington State DSHS <admin>"</admin>	Translation
2100A	NM108	Identification Code Qualifier	ID2	R				Hard code "XV"-Nat'l PlanID or "FI"- TaxID	Translation
2100A	NM109	Information Source Primary Identifier	AN80	R			Hard code admin's PlanID or Tax ID		Translation
2100A	REF	Information Source Additional Identification		S					
2100A	PER	Information Source Contact Information		S					
2100A	PER01	Contact Function Code	ID2	R				Hard code "IC"	Translation
2100A	PER02	Information Source Contact Name	AN60	S				Hard code " <provider relations="">"</provider>	Translation
2100A	PER04	Information Source Communication Number	AN80	S				Hard code " <phone>"</phone>	Translation
2100A	AAA	Request Validation		S					
2000B	HL	Information Receiver Level		S					
2000B	HL	Information Receiver Level		S					
2000B	HL 03	Hierarchical Level Code	ID2	R			Hard code "21"-info receiver Translation		Translation
2000B	HL 04	Hierarchical Child Code	ID1	R				Hard code "1"	Translation
-									

Loop	SegID	HIPAA Name	DT	Req	File	Field	DT	Comment	CommentType
2100B	NM1	Information Receiver Name		R				Return whatever was in the corresponding fields of the 270.	Match Back
2100B	NM1	Information Receiver Name		R					
2100B	NM101	Entity Identifier Code	ID3	R				req'd: return from 270	Match Back
2100B	NM102	Entity Type Qualifier	ID1	R				req'd: return from 270	Match Back
2100B	NM108	Identification Code Qualifier	ID2	R				req'd: return from 270	Match Back
2100B	NM109	Information Receiver Identification Number	AN80	R				Return whatever was in the corresponding fields of the 270.	Match Back
2100B	REF	Information Receiver Additional Identification		S					
2100B	AAA	Information Receiver Request Validation		S					
2000C	HL	Subscriber Level		S					
2000C	HL	Subscriber Level		S					
2000C	HL 03	Hierarchical Level Code	ID2	R				Hard code "22"-subscriber	Translation
2000C	TRN	Subscriber Trace Number		S					
2000C	TRN01	Trace Type Code	ID2	R				required if rec'd in 270	Match Back
2000C	TRN02	Trace Number	AN30	R				required if rec'd in 270	Match Back
2000C	TRN03	Trace Assigning Entity Identifier	AN10	R				required if rec'd in 270	Match Back
2000C	TRN04	Trace Assigning Entity Additional Identifier	AN30	S				required if rec'd in 270	Match Back
2100C	NM1	Subscriber Name		R					
2100C	NM1	Subscriber Name		R					
2100C	NM101	Entity Identifier Code	ID3	R				Hard code "IL"-subscriber or insured	Translation

Loop	SegID	HIPAA Name	DT	Req	File	Field	DT	Comment	CommentType
2100C	NM103	Subscriber Last Name	AN35	S	Health-Registry	LNAME	Х	required	HIPAA Required
2100C	NM104	Subscriber First Name	AN25	S	Health-Registry	FNAME	Х	required	HIPAA Required
2100C	NM105	Subscriber Middle Name	AN25	S	Health-Registry	gistry MI X			
2100C	NM108	Identification Code Qualifier	ID2	S		Send "MI"-Member ID (Medicaid ID/PIC)			Translation
2100C	NM109	Subscriber Primary Identifier	AN80	S	Health-Registry	Health-Registry ALIEN NO X8(9) required		required	HIPAA Required
2100C	REF	Subscriber Additional Identification		S	IDs. IF 270 had "EJ" Ri		Multiple REF segments for different IDs. IF 270 had "EJ" REF with patient acct num, it must be returned here.	Match Back	
2100C	REF01	Reference Identification Qualifier	ID3	R		hard code NQ-Medicaid ID for PIC; plus return any IDs sent in 270; send SSN?		Match Back	
2100C	REF02	Subscriber Supplemental Identifier	AN30	R	Health-Registry	PIC CODE	Х		
2100C	REF02	Subscriber Supplemental Identifier	AN30	R	Health-Registry	SSN	9		
2100C	REF03	Plan Sponsor Name	AN80	S	Health-Registry	HEALTH DEPT/DISTRICT	Х		
2100C	N 3	Subscriber Address		s					
2100C	N 4	Subscriber City/State/ZIP Code		S					
2100C	N 405	Location Qualifier	ID2	S				hard code 60-area	Translation
2100C	N 406	Location Identification Code	AN30	S	Health-Registry	BIPL	Х		
2100C	PER	Subscriber Contact Information		S					
2100C	AAA	Subscriber Request Validation		S					

Loop	SegID	HIPAA Name	Name DT Req File Field DT		DT	Comment	CommentType		
2100C	DMG	Subscriber Demographic Information		S					
2100C	DMG02	Subscriber Birth Date	AN35	S	Health-Registry	BIRTH DATE	9	In the format CCYYMMDD	Translation
2100C	DMG03	Subscriber Gender Code	ID1	S	Health-Registry SX X		Х	What codes are used?	System Questions
2100C	INS	Subscriber Relationship		S					
2100C	INS01	Insured Indicator	ID1	R				hard code Y-yes	Translation
2100C	INS02	Individual Relationship Code	ID2	R	hard code 18-self		hard code 18-self	Translation	
2100C	DTP	Subscriber Date		S					
2110C	EB	Subscriber Eligibility or Benefit Information		S					
2110C	ЕВ	Subscriber Eligibility or Benefit Information		S					
2110C	EB 01	Eligibility or Benefit Information	ID2	R				hard code "1"-active coverage.	Translation
2110C	EB 02	Benefit Coverage Level Code	ID3	S				hard code "IND"-individual	Translation
2110C	EB 03	Service Type Code	ID2	S				hard code "30"-generic request	Translation
2110C	EB 05	Plan Coverage Description	AN50	S				Hard code "WA DSHS <program>"</program>	Translation
2110C	HSD	Health Care Services Delivery		S					
2110C	REF	Subscriber Additional Identification		S					
2110C	DTP	Subscriber Eligibility/Benefit Date		S					
2110C	DTP01	Date Time Qualifier	ID3	R				send "307"-elig with eligibility as a date range	Translation

Loop	SegID	HIPAA Name	DT	Req	File	Field	DT	Comment	CommentType
2110C	DTP03	Eligibility or Benefit Date Time Period	AN35	R	Health-Registry	ARRIVE IN US	9	date in country + 6 months	HIPAA Required
2110C	AAA	Subscriber Request Validation		S					
2110C	MSG	Message Text		S					
2110C	MSG01	Free Form Message Text	AN264	R			Hardcode "This is the client's eligibility as of this date, based on information available at this time."	Translation	
2115C	III	Subscriber Eligibility or Benefit Additional Information		S					
2115C	III	Subscriber Eligibility or Benefit Additional Information		S					
2115C	LS	Loop Header		s					
2120C	NM1	Subscriber Benefit Related Entity Name		S					
2120C	NM1	Subscriber Benefit Related Entity Name		s					
2120C	NM101	Entity Identifier Code	ID3	R				hard code "LR"-legal representative	Translation
2120C	NM103	Benefit Related Entity Last or Organization Name	AN35	S				Refugee's sponsor / volunteer agency	System Questions
2120C	N 3	Subscriber Benefit Related Entity Address		S					
2120C	N 4	Subscriber Benefit Related City/State/ZIP Code		S					
2120C	PER	Subscriber Benefit Related Entity Contact Information		S					

Loop	SegID	HIPAA Name	DT	Req	File	Field	DT	Comment	CommentType
2120C	PRV	Subscriber Benefit Related Provider Information		S					
2120C	LE	Loop Trailer		s					
2000D	HL	Dependent Level		S				Subscriber is usually the Patient, so there's no Dependent Loop (2000D).	Processing Logic
2000D	HL	Dependent Level		s					
2000D	TRN	Dependent Trace Number		S					
2100D	NM1	Dependent Name		R					
2100D	NM1	Dependent Name		R					
2100D	REF	Dependent Additional Identification		S					
2100D	N 3	Dependent Address		S					
2100D	N 4	Dependent City/State/ZIP Code		S					
2100D	PER	Dependent Contact Information		S					
2100D	AAA	Dependent Request Validation		S					
2100D	DMG	Dependent Demographic Information		S					
2100D	INS	Dependent Relationship		S					
2100D	DTP	Dependent Date		s					
2110D	EB	Dependent Eligibility or Benefit Information		S					
2110D	ЕВ	Dependent Eligibility or Benefit Information		S					

Loop	SegID	HIPAA Name	DT	Req	File	Field	DT	Comment	CommentType
2110D	HSD	Health Care Services Delivery		S					
2110D	REF	Dependent Additional Identification		S					
2110D	DTP	Dependent Eligibility/Benefit Date		S					
2110D	AAA	Dependent Request Validation		S					
2110D	MSG	Message Text		s					
2115D	III	Dependent Eligibility or Benefit Additional Information		S					
2115D	III	Dependent Eligibility or Benefit Additional Information		S					
2115D	LS	Dependent Eligibility or Benefit Information		S					
2120D	NM1	Dependent Benefit Related Entity Name		S					
2120D	NM1	Dependent Benefit Related Entity Name		S					
2120D	N 3	Dependent Benefit Related Entity Address		S					
2120D	N 4	Dependent Benefit Related Entity City/State/ZIP Code		S					
2120D	PER	Dependent Benefit Related Entity Contact Information		S					
2120D	PRV	Dependent Benefit Related Provider Information		S					

Loop	SegID	HIPAA Name	DT	Req	File	Field	DT	Comment	CommentType
2120D	LE	Loop Trailer		S					
2120D	SE	Transaction Set Trailer		R					

Comment Type Legend:

Column Heading Legend: "DT" = Data Type

Case Management = "Nice to Have" fields for case reviewers.

Electronic COB = If we do electronic COB, these fields will be needed.

HIPAA Questions = Questions about interpreting the HIPAA Implementation Guides.

HIPAA Required = Required fields in HIPAA that don't seem to be in the legacy system.

Map Codes = Need to crosswalk local codes to standard codes.

Match Back = Fields received on an incoming transaction that must be returned in the response.

Nice to Have = Optional fields that are useful for other reasons.

Policy Issues = Decisions to be made by system experts.

Processing Logic = Logic that needs to be built into either the front end or MMIS.

System Questions = Questions about the legacy systems.

Translation = Only use to program translations.

COBOL Data Types Legend:

X(n) - Character data with length of n bytes

9(n) - Integer data with length of n bytes

S9(n) - Signed integer data with length of n bytes

9(n)V99 or 9(n)V9(2) - Numeric data with n decimal digits before the decimal point and 2 decimal digits after the decimal point

S9(n)V99 or S9(n)V9(2) - Signed numeric data with n decimal digits before the decimal point and 2 decimal digits after the decimal point

HIPAA Data Types Legend:

ANn - Free text with length of n bytes

IDn - Coded value with length of n bytes

Nn - Numeric data with length of n bytes

Rn - Real data with length of n bytes

DT8 - Date expressed as CCYYMMDD

TM8 - Time expressed as HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds ((00-99)